

# Planet

## Structure Cabling Systems



2025 - 2026



**WELL EXPERIENCED**

More than 17 years experience  
in networking industry



**PROFESSIONAL TEAM**

We have professional sales team  
to offer fast response and engineers  
to support different solutions



**ABUNDANT PRODUCTS**

Integrated and completed  
product lines  
for networking and cabling items



**STANDARDS COMPLIANCE**

ANSI/EIA RS-310-D, IEC62-297,  
DIN41494/41491,  
GB/T92-3047.2/Metric & ETSI  
standard

**Planet** structure Cabling Systems Inc. is a global provider company located in Canada, Montreal specialized for reliable networking products. We committed to provide first-class solutions for structured Copper cabling systems, fiber-optic solutions, as well as the network cabinet to a wide range of telecommunication service.

The Manufacture was launched to the market in year 2008 ensuring the latest innovation and standards compliance, reliability and product availability focusing on system performance with a 25 years product warranty.

**Planet** has the complete product portfolio, including patch cords, patch panels, outlets, keystones and workstation components for Category 5e, Category 6, Category 6A Category 7, Category 8, fiber optic based structured cabling systems and Data Center Solution.

Moreover, All Planet products and systems are certified with complete network solutions that are efficient, cost-effective cutting-edge and use high-tech with ISO9001, CE, RoHs and many quality Certificates.

Moreover, All Planet products and systems are certified with complete network solutions that are efficient, cost-effective cutting-edge and use high-tech with ISO9001, CE, RoHs and many quality Certificates.

**Planet** is expanding today to exceed the demands of tomorrow that is why we enjoyed formidable growth by having a regional office in Dubai in the United Arab Emirates to present all Planet products in MENA.



# Your Professional Partner for Structured Cabling Systems

## Integrated Strength of Manufacture & System Integration

Planet has over 15-year experience in developing and manufacturing of data cabling products. With our excellent knowhow about the network market, the high-speed data communication applications and the latest technology we make sure that our customer get the best support to obtain customized solutions. With this strength, also the complete product range for data communication cabling use, these keeping us in the leading edge over worldwide market. Till today our engaged and certified team has successfully completed hundreds of complex network projects all over the world.

## Quality & Service

Planet has dedicated teams responsible for internal quality monitoring and systemic product upgrading, customer satisfaction, as well as technical support and service maintenance. All products are verified upon receipt of raw materials and are constantly monitored until the production process is finished. Based on the latest international standards, our team of experts and future oriented technology, we are able to build up a complete quality and service policy and that is why we can keep our promise of the best possible performance.

## 25 years System Warranty Policy

All copper and fibre optic cable systems supplied by Planet and installed and tested by a Planet authorized installer in accordance with the Planet Structure Cabling Systems Installation Manual, can be covered with a 25-year warranty. Planet has a complete channel program, including distributor authorization, installer trainings, warranty extension, marketing & technical service, global strategy and information exchange. This combines our strengths and helps us to achieve our global sales goals as well as the prosperity of our partners in the cabling business.




# Network Cabinet



- **Wall Mount Cabinet**
- **Floor Stand Cabinet**
- **Power Distribution Unit**
- **Cable Management**
- **Fans**

Part Number: PL-WMxUzzyy



**FEATURES:**

- wall mount cabinet series offers an economical and cost effective solution for branching
- compliant with ANSI/EIA RS-310-D, IEC297-2, DIN41491.Part1, part7, DIN 4144 standards
- easy to install the front door
- cable entry from top and bottom
- up to 60 kgs static loading capacity
- toughened glass front door with over 180° angle
- 24 sets cage nuts (less than 12U : 12 sets)
- available for 2 fans pre-installation on the top cover (optional)


**Physical Characteristics (Overall):**

Wall mount network cabinet (single section)	
Main Material	SPCC cold rolled steel
Thickness	Mounting profile 1.5mm, mounting angle 1.2mm
Surface Finish	Degreasing, pickling, phosphoric, powder coated
Degree of Protection	IP20
Loading Capacity	Static loading: 60KG
Color	Black RAL9004, Grey RAL7035

Part Number: PL-WMxUzzyy

Main Parts:

S/N	Specification	Quantity	Unit	Material	Surface finish	Remark
1	Frame	2	Piece	SPCC Cold rolled steel 1.2	Powder coated	—
2	Side panel	2	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
3	Back panel	1	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
4	Bottom panel	1	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
5	Top cover	1	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
6	Front glass door	1	Piece	5MM Toughened glass	—	—
7	Mounting profile	4	Piece	SPCC Cold rolled steel 1.5	Powder coated	—
8	Cable cover	2	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
9	Round lock	1	Piece	—	—	Side locks optional
10	M6 screw	12/20	Set	—	—	20pcs for 15U & 18U
11	Allen wrench	1	Piece	—	—	—



Part Number: PL-WMxUzzyy

**Dimensions:**

Part NO.	Capacity(U)	Width(mm)	Depth(mm)	Height(mm)
PL-WM4U5335	4U	530	350	280
PL-WM4U6045			450	
PL-WM6U6045	6U	600	450	370
PL-WM6U6060			600	
PL-WM9U6045	9U	600	450	500
PL-WM9U6060			600	
PL-WM12U6045	12U	600	450	635
PL-WM12U6060			600	
PL-WM15U6045	15U	600	450	770
PL-WM15U6060			600	
PL-WM18U6045	18U	600	450	900
PL-WM18U6060			600	



Part Number: PL-WDxUzzyy



**FEATURES:**

- compliant with ANSI/EIA RS-310-D, IEC297-2, DIN41491.Part1, part7, DIN 4144 standards
- 19" standard installation, double section welded frame structure.
- Assembled frame structure, easy handling, transportation, to maximize save shipping cost.
- Standing or wall mounting installation.
- Easy operation and maintaining at the back.
- Easy mounting installation (patent).
- Removable side panels, side locks optional.
- Knock out hole for entering cable on both of top cover and bottom panel.
- Toughened glass front door, turning angle is over 180 degrees.
- Turning angle of rear door is over 90 degrees.


**Physical Characteristics (Overall):**

<b>Wall mount network cabinet (double section)</b>	
Main Material	SPCC cold rolled steel
Thickness	Mounting profile 1.5mm, mounting angle 1.2mm
Surface Finish	Degreasing, pickling, phosphoric, powder coated
Degree of Protection	IP20
Loading Capacity	Static loading: 60KG
Color	Black RAL9004, Grey RAL7035

**Part Number:** PL-WDxUzzyy

**Main Parts:**

S/N	Specification	Quantity	Unit	Material	Surface finish	Remark
1	Frame	2	Piece	SPCC Cold rolled steel 1.2	Powder coated	—
2	Side panel	2	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
3	Back panel	1	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
4	Bottom panel	1	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
5	Top cover	1	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
6	Front glass door	1	Piece	5MM Toughened glass	—	—
7	Mounting profile	4	Piece	SPCC Cold rolled steel 1.5	Powder coated	—
8	Cable cover	2	Piece	SPCC Cold rolled steel 1.0	Powder coated	—
9	Round lock	1	Piece	—	—	Side locks optional
10	M6 screw	12/20	Set	—	—	20pcs for 15U & 18U
11	Allen wrench	1	Piece	—	—	—



Part Number: PL-WDxUzzyy


Dimensions:

Part NO.	Capacity(U)	Width(mm)	Depth(mm)	Height(mm)
PL-WD6U6055	6U	600	550	370
PL-WD6U6060			600	
PL-WD9U6055	9U		550	500
PL-WD9U6060			600	
PL-WD12U6055	12U		550	635
PL-WD12U6060			600	
PL-WD15U6055	15U		550	770
PL-WD15U6060			600	
PL-WD18U6055	18U		550	900
PL-WD18U6060			600	



Network Cabinet

Part Number: PL-WOxUzzyy



**FEATURES:**

- Conforms to DIN 41494 or Equivalent EIA /ISO/ EN/ CEA Standard Adjustable mounting depth
- 2 No Adjustable, 19" verticals with Punched 10 mm Square Hole and Universal 12.7 mm -15.875mm-15.875 mm alternating hole pattern offers greater mounting flexibility, maximizes usable mounting space
- State-of-the-art manufacturing methods provide the best product quality and fastest delivery in the industry  
100% assured compatibility with all equipments conforming to DIN 41494 (General industrial standard for equipments).
- Special Dual Coat Powder coated finish with seven-tank pretreatment process meeting ASTM standard to Meet Harsh Out door Requirement.
- Grounding & Bonding options

**Physical Characteristics (Overall):**

Technical Data:

Basic Frame	Steel
Construction	Welded
Top & Bottom Cover	Welded to frame with cable entry exit cut outs in Bottom.
Front Door	Lockable Metal Plain Door
19" Mounting Angle	Formed Steel
Std. Equipment Mounting	DIN Std. 10mm Sq. Slots
Standard Finish	Special Dual Coat Powder coated
Standard Colour	Grey & Off White OR Black
Rack Standard	Conforms to DIN 41494 or equivalent standard
Static Load	30 Kg (Uniformly distributed in U Space) / 2KG Per U

Part Number: PL-WOxUzzyy

**Dimensions:**

Capacity	H	h	W	w	D	d
6U/600X600	347	6U	600	19"	600	580
9U/600X600	481	9U	600	19"	600	580
12U/600X600	613	12U	600	19"	600	580
15U/600X600	749	15U	600	19"	600	580

**Part Number:**

Part Number	Description
PL-WO4U6060	Wall Mount Cabinet 6U (W600 x D600)mm
PL-WO6U6060	Wall Mount Cabinet 9U (W600 x D600)mm
PL-WO9U6060	Wall Mount Cabinet 12U (W600 x D600)mm
PL-WO12U6060	Wall Mount Cabinet 15U (W600 x D600)mm




Part Number: PL-FyUzz



**FEATURES:**

- compliant with ANSI/EIA RS-310-D, IEC297-2, DIN41491.Part1, part7, DIN 4144 standards
- connected by four corner to ensure the stability
- cable entry from the top cover and bottom panel
- removable side doors for easy installation and maintenance
- 4 pcs of M12 adjustable feet and 4 pcs of 2" heavy duty castors included
- 1 pair of vertical cable management included for 800mm depth cabinet
- up to 800 kgs static loading capacity with adjustable feet
- Optional Fan unit:  
(2 fans for 600mm depth cabinet)  
(4 fans for 800mm depth cabinet)  
(4 fans for 1000mm depth cabinet)

**OPTIONAL DOORS:**



Dual Perforated Door


Perforated Door

Metallic Rear Door

Glass Front Door

Part Number: PL-FyUzz

Installation in Structure



Main Parts:

S/N	Description	Quantity	Unit	Material	Surface finish	Remark
1	Top cover	1	Piece	SPCC cold rolled steel 1.2	Powder coated	—
2	Frame	2	Piece	SPCC Cold rolled steel 1.5	Powder coated	—
3	Front door	1	Piece	5MM Toughened glass	Powder coated	—
4	Side panel	2	Piece	SPCC Cold rolled steel 1.2	Powder coated	steel door
5	Rear door	1	Piece	SPCC Cold rolled steel 1.2	Powder coated	steel door
6	Bottom panel	1	Set	SPCC Cold rolled steel 1.2	Powder coated	—
7	Mounting angle	4/6	Piece	SPCC Cold rolled steel 1.5	Powder coated	4pcs for lower 27U
8	Mounting profile	4	Piece	SPCC Cold rolled steel 2.0	Powder coated	—
9	Spacer	8/12	Piece	SPCC Cold rolled steel 1.2	Powder coated	For 800mm width cabinet only
10	M6 screw	20/40	Set	—	—	40pcs for over 32U
11	Spring lock	2	Piece	—	—	With 4 keys
12	2.0" heavy duty castor	4	Piece	—	—	—
13	Adjustable feet	4	Piece	—	—	—
14	Allen wrench	1	Piece	—	—	—

Remark: width 800mm and above 32U Cabinets with 12 spacer, lower 32U with 8 spacer

Part Number: PL-FyUzz

Dimensions:

Part NO.	Capacity(U)	Width(mm)	Depth(mm)	Height(mm)
PL-Fx22U66	22U	600	600	1166
PL-Fx22U68			800	
PL-Fx22U61			1000	
PL-Fx22U88		800	800	
PL-Fx22U81			1000	
PL-Fx27U66	27U	600	600	1388
PL-Fx27U68			800	
PL-Fx27U61			1000	
PL-Fx27U88		800	800	
PL-Fx27U81			1000	
PL-Fx32U66	32U	600	600	1610
PL-Fx32U68			800	
PL-Fx32U61			1000	
PL-Fx32U88		800	800	
PL-Fx32U81			1000	
PL-Fx37U66	37U	600	600	1833
PL-Fx37U68			800	
PL-Fx37U61			1000	
PL-Fx37U88		800	800	
PL-Fx37U81			1000	
PL-Fx42U66	42U	600	600	2055
PL-Fx42U68			800	
PL-Fx42U61			1000	
PL-Fx42U88		800	800	
PL-Fx42U81			1000	
PL-Fx47U81	47U		1000	2277

For doors material substitute "x" in PN

H= perforated front door + metallic rear door

G= glass front door + metallic rear door

K= glass front door + perforated rear door

P= dual perforated door / front & back

S= perforated front door + dual perforated rear door

**Part Number:** PL-PDU6PUS / PL-PDU8PUS

**Planet 19 inch 1U Universal type 6 / 8 way PDU**

**Technical Specifications:**

- Conforms to DIN49440 and DIN49441
- Length : 19" Inch
- Depth : 1U
- Rated voltage: 110/220V
- Rated current : 16Ah
- Maximum load capacity 3.5 KW
- Frequency : 50/60 Hz
- Connectors type : Universal Type
- Connectors number : 6/8 Way
- Material: Aluminum Alloy
- Power cord length : 1.5/2M
- Lighted master switch



**Certificates:**

- RoHS compliant
- CE

**Environmental Characteristics:**

- Operating temperature: 5 - 45 C°
- Operating relative humidity : 5 - 95 %
- Storage temperature : -25 - 65 C°

Part Number: PL-PDU6PES / PL-PDU8PES

Planet 19 inch 1U European type 6 / 8 way PDU

**Technical Specifications:**

- Conforms to DIN49440 and DIN49441
- Length : 19" Inch
- Depth : 1U
- Rated voltage: 110/220V
- Rated current : 16Ah
- Maximum load capacity 3.5 KW
- Frequency : 50/60 Hz
- Connectors type : European Type
- Connectors number : 6 /8 Way
- Material: Aluminum Alloy
- Power cord length : 1.5/2M
- Lighted master switch



**Certificates:**

- RoHS compliant
- CE

**Environmental Characteristics:**

- Operating temperature: 5 - 45 C°
- Operating relative humidity : 5 - 95 %
- Storage temperature : -25 - 65 C°

Part Number: PL-PDU6UD / PL-PDU8UD

Planet 19 inch 1U IEC C13 type 6 / 8 way PDU

#### Technical Specifications:

- Conforms to DIN49440 and DIN49441
- **Length : 19" Inch**
- **Depth : 1U**
- Rated voltage: 110/220V
- Rated current : 16Ah
- Maximum load capacity 3.5 KW
- Frequency : 50/60 Hz
- Connectors type : **IEC C13 Type**
- Connectors number : 6/8 Way
- Material: Aluminum Alloy
- Power cord length : 1.5/2M
- Lighted master switch



#### Certificates:

- RoHS compliant
- CE

#### Environmental Characteristics:

- **Operating temperature: 5 - 45 C°**
- **Operating relative humidity : 5 - 95 %**
- **Storage temperature : -25 - 65 C°**

Part Number: PL-PDU6006

Planet 19 inch 1U European type 6 way PDU With Breaker

**Technical Specifications:**

- Conforms to DIN49440 and DIN49441
- Length : 19" Inch
- Depth : 1U
- Rated voltage: 110/220V
- Rated current : 16Ah
- **Maximum load capacity 3.5 KW**
- Frequency : 50/60 Hz
- Connectors type : European Type
- Connectors number : 6 Way
- Material: Aluminum Alloy
- Power cord length : 1.5/2M
- 1P Circuit Breaker



**Certificates:**

- RoHS compliant
- CE

**Environmental Characteristics:**

- Operating temperature: 5 - 45 C°
- Operating relative humidity : 5 - 95 %
- Storage temperature : -25 - 65 C°

Part Number: PL-PDU8008

Planet 19 inch 1U European type 8 way PDU With Surge Protector

**Technical Specifications:**

- Conforms to DIN49440 and DIN49441
- Length : 19" Inch
- Depth : 1U
- Rated voltage: 110/220V
- Rated current : 16Ah
- Maximum load capacity 3.5 KW
- Frequency : 50/60 Hz
- Connectors type : European Type
- Connectors number : 8 Way
- Material: Aluminum Alloy
- Power cord length : 1.5/2M
- Lighted master switch
- Surge Protector



**Certificates:**

- RoHS compliant
- CE

**Environmental Characteristics:**

- Operating temperature: 5 - 45 C°
- Operating relative humidity : 5 - 95 %
- Storage temperature : -25 - 65 C°

**Part Number:** PL-PDU1607

**Planet 19 inch 1U IEC C13 type 16 way PDU With Switch**

**Technical Specifications:**

- Conforms to DIN49440 and DIN49441
- Length : 19" Inch
- Depth : 1U
- Rated voltage: 110/220V
- Rated current : 32Ah
- Maximum load capacity 7 KW
- Frequency : 50/60 Hz
- Connectors type : IEC C13 Type
- Connectors number : 18 Way
- Material: Aluminum Alloy
- Power cord length : 1.5/2M
- Lighted master switch



**Certificates:**

- RoHS compliant
- CE

**Environmental Characteristics:**

- Operating temperature: 5 - 45 C°
- Operating relative humidity : 5 - 95 %
- Storage temperature : -25 - 65 C°

Part Number: PL-PDU18VGB

Planet 19 inch 1U European type 18 way PDU With Breaker

**Technical Specifications:**

- Conforms to DIN49440 and DIN49441
- Length : 19" Inch
- Depth : 1U
- Rated voltage: 110/220V
- Rated current : 32Ah
- Maximum load capacity 7 KW
- Frequency : 50/60 Hz
- Connectors type : European Type
- Connectors number : 18 Way
- Material: Aluminum Alloy
- Power cord length : 1.5/2M
- 2P Circuit Breaker




**Certificates:**

- RoHS compliant
- CE

**Environmental Characteristics:**

- Operating temperature: 5 - 45 C°
- Operating relative humidity : 5 - 95 %
- Storage temperature : -25 - 65 C°

Part Number: PL-CM12R1 / PL-CM12R2



**Product Description:**

- Cable Management , Metal With 5 Rings

19" horizontal cable management 1U/2U with 5 rings, 1.2mm steel material base, as well as rings. The surface is powder coating with a shinning appearance, and less burr. This simple designed type is applicable for multiple wires management.


**Application:**

- Suitable for all standard 19' patch panels, rack & cabinets

**Certificates:**

- RoHS compliant

Part Number: PL-CM24D1 / PL-CM24D2



### Product Description:

- Cable Management , Metal With Cover

19" horizontal cable management 1U/2U with 24 ports, 1.2mm steel material which providing a strong strength and a stable performance. The surface is powder coating with a shining appearance, and less burr. The cover panel is removable which is easier for cable management

### Application:

- Suitable for all standard 19' patch panels, rack & cabinets

### Certificates:

- RoHS compliant

## Index by Part Number

### ■ Copper Cable System

- Lan Cable **Page 112 - 118**
- Patch Cord **Page 119 - 125**

### ■ Fiber Optic System

- Fiber Patch Cord **Page 126 - 128**
- Pigtails **Page 129**

### ■ Network Cabinet

- Network Cabints **Page 130 - 134**
- Wall Mount Cabints **Page 135**

## Lan Cable

### Cable Cat6 FTP Part Number

#### Gray PVC

PL-CA6FTP	Category 6 F/UTP Installation cable, 305m, <b>Gray</b> , PVC
-----------	--

#### Gray LSZH

PL-CA6FTL	Category 6 F/UTP Installation cable, 305m, <b>Gray</b> , LSZH
-----------	---

#### Green PVC

PL-CA6FTPG	Category 6 F/UTP Installation cable, 305m, <b>Green</b> , PVC
------------	---

#### Green LSZH

PL-CA6FTLG	Category 6 F/UTP Installation cable, 305m, <b>Green</b> , LSZH
------------	--

#### Yellow PVC

PL-CA6FTPY	Category 6 F/UTP Installation cable, 305m, <b>Yellow</b> , PVC
------------	--

#### Yellow LSZH

PL-CA6FTLY	Category 6 F/UTP Installation cable, 305m, <b>Yellow</b> , LSZH
------------	---

#### Blue PVC

PL-CA6FTPB	Category 6 F/UTP Installation cable, 305m, <b>Blue</b> , PVC
------------	--

#### Blue LSZH

PL-CA6FTLB	Category 6 F/UTP Installation cable, 305m, <b>Blue</b> , LSZH
------------	---

#### Red PVC

PL-CA6FTPR	Category 6 F/UTP Installation cable, 305m, <b>Red</b> , PVC
------------	---

#### Red LSZH

PL-CA6FTLR	Category 6 F/UTP Installation cable, 305m, <b>Red</b> , LSZH
------------	--

#### Purple PVC

PL-CA6FTPP	Category 6 F/UTP Installation cable, 305m, <b>Purple</b> , PVC
------------	--

#### Purple LSZH

PL-CA6FTLP	Category 6 F/UTP Installation cable, 305m, <b>Purple</b> , LSZH
------------	---

## Cable Cat6 SFTP Part Number

### Gray PVC

PL-CA6STP	Category 6 S/FTP Installation cable, 305m, <b>Gray</b> , PVC
-----------	--

### Gray LSZH

PL-CA6STL	Category 6 S/FTP Installation cable, 305m, <b>Gray</b> , LSZH
-----------	---

### Green PVC

PL-CA6STPG	Category 6 S/FTP Installation cable, 305m, <b>Green</b> , PVC
------------	---

### Green LSZH

PL-CA6STLG	Category 6 S/FTP Installation cable, 305m, <b>Green</b> , LSZH
------------	--

### Yellow PVC

PL-CA6STPY	Category 6 S/FTP Installation cable, 305m, <b>Yellow</b> , PVC
------------	--

### Yellow LSZH

PL-CA6STLY	Category 6 S/FTP Installation cable, 305m, <b>Yellow</b> , LSZH
------------	---

### Blue PVC

PL-CA6STPB	Category 6 S/FTP Installation cable, 305m, <b>Blue</b> , PVC
------------	--

### Blue LSZH

PL-CA6STLB	Category 6 S/FTP Installation cable, 305m, <b>Blue</b> , LSZH
------------	---

### Red PVC

PL-CA6STPR	Category 6 S/FTP Installation cable, 305m, <b>Red</b> , PVC
------------	---

### Red LSZH

PL-CA6STLR	Category 6 S/FTP Installation cable, 305m, <b>Red</b> , LSZH
------------	--

### Purple PVC

PL-CA6STPP	Category 6 S/FTP Installation cable, 305m, <b>Purple</b> , PVC
------------	--

### Purple LSZH

PL-CA6STLP	Category 6 S/FTP Installation cable, 305m, <b>Purple</b> , LSZH
------------	---

## Cable Cat6 UTP Part Number

### Gray PVC

PL-CA6UTP	Category 6 U/UTP Installation cable, 305m, <b>Gray</b> , PVC
-----------	--

### Gray LSZH

PL-CA6UTL	Category 6 U/UTP Installation cable, 305m, <b>Gray</b> , LSZH
-----------	---

### Green PVC

PL-CA6UTPG	Category 6 U/UTP Installation cable, 305m, <b>Green</b> , PVC
------------	---

### Green LSZH

PL-CA6UTLG	Category 6 U/UTP Installation cable, 305m, <b>Green</b> , LSZH
------------	--

### Yellow PVC

PL-CA6UTPY	Category 6 U/UTP Installation cable, 305m, <b>Yellow</b> , PVC
------------	--

### Yellow LSZH

PL-CA6UTLY	Category 6 U/UTP Installation cable, 305m, <b>Yellow</b> , LSZH
------------	---

### Blue PVC

PL-CA6UTPB	Category 6 U/UTP Installation cable, 305m, <b>Blue</b> , PVC
------------	--

### Blue LSZH

PL-CA6UTLB	Category 6 U/UTP Installation cable, 305m, <b>Blue</b> , LSZH
------------	---

### Red PVC

PL-CA6UTPR	Category 6 U/UTP Installation cable, 305m, <b>Red</b> , PVC
------------	---

### Red LSZH

PL-CA6UTLR	Category 6 U/UTP Installation cable, 305m, <b>Red</b> , LSZH
------------	--

### Purple PVC

PL-CA6UTPP	Category 6 U/UTP Installation cable, 305m, <b>Purple</b> , PVC
------------	--

### Purple LSZH

PL-CA6UTLP	Category 6 U/UTP Installation cable, 305m, <b>Purple</b> , LSZH
------------	---

## Cable Cat6A FTP Part Number

### Gray PVC

PL-CA6AFTP	Category 6A F/UTP Installation cable, 305m, <b>Gray</b> , PVC
------------	---

### Gray LSZH

PL-CA6AFTL	Category 6A F/UTP Installation cable, 305m, <b>Gray</b> , LSZH
------------	--

### Green PVC

PL-CA6AFTPG	Category 6A F/UTP Installation cable, 305m, <b>Green</b> , PVC
-------------	--

### Green LSZH

PL-CA6AFTLG	Category 6A F/UTP Installation cable, 305m, <b>Green</b> , LSZH
-------------	---

### Yellow PVC

PL-CA6AFTPY	Category 6A F/UTP Installation cable, 305m, <b>Yellow</b> , PVC
-------------	---

### Yellow LSZH

PL-CA6AFTLY	Category 6A F/UTP Installation cable, 305m, <b>Yellow</b> , LSZH
-------------	--

### Blue PVC

PL-CA6AFTPB	Category 6A F/UTP Installation cable, 305m, <b>Blue</b> , PVC
-------------	---

### Blue LSZH

PL-CA6AFTLB	Category 6A F/UTP Installation cable, 305m, <b>Blue</b> , LSZH
-------------	--

### Red PVC

PL-CA6AFTPR	Category 6A F/UTP Installation cable, 305m, <b>Red</b> , PVC
-------------	--

### Red LSZH

PL-CA6AFTLR	Category 6A F/UTP Installation cable, 305m, <b>Red</b> , LSZH
-------------	---

### Purple PVC

PL-CA6AFTPP	Category 6A F/UTP Installation cable, 305m, <b>Purple</b> , PVC
-------------	---

### Purple LSZH

PL-CA6AFTLP	Category 6A F/UTP Installation cable, 305m, <b>Purple</b> , LSZH
-------------	--

## Cable Cat6A SFTP Part Number

### Gray PVC

PL-CA6ASTP	Category 6A S/FTP Installation cable, 305m, <b>Gray</b> , PVC
------------	---

### Gray LSZH

PL-CA6ASTL	Category 6A S/FTP Installation cable, 305m, <b>Gray</b> , LSZH
------------	--

### Green PVC

PL-CA6ASTPG	Category 6A S/FTP Installation cable, 305m, <b>Green</b> , PVC
-------------	--

### Green LSZH

PL-CA6ASTLG	Category 6A S/FTP Installation cable, 305m, <b>Green</b> , LSZH
-------------	---

### Yellow PVC

PL-CA6ASTPY	Category 6A S/FTP Installation cable, 305m, <b>Yellow</b> , PVC
-------------	---

### Yellow LSZH

PL-CA6ASTLY	Category 6A S/FTP Installation cable, 305m, <b>Yellow</b> , LSZH
-------------	--

### Blue PVC

PL-CA6ASTPB	Category 6A S/FTP Installation cable, 305m, <b>Blue</b> , PVC
-------------	---

### Blue LSZH

PL-CA6ASTLB	Category 6A S/FTP Installation cable, 305m, <b>Blue</b> , LSZH
-------------	--

### Red PVC

PL-CA6ASTPR	Category 6A S/FTP Installation cable, 305m, <b>Red</b> , PVC
-------------	--

### Red LSZH

PL-CA6ASTLR	Category 6A S/FTP Installation cable, 305m, <b>Red</b> , LSZH
-------------	---

### Purple PVC

PL-CA6ASTPP	Category 6A S/FTP Installation cable, 305m, <b>Purple</b> , PVC
-------------	---

### Purple LSZH

PL-CA6ASTLP	Category 6A S/FTP Installation cable, 305m, <b>Purple</b> , LSZH
-------------	--

## Cable Cat6A UTP Part Number

### Gray PVC

PL-CA6AUTP	Category 6A U/UTP Installation cable, 305m, <b>Gray</b> , PVC
------------	---

### Gray LSZH

PL-CA6AUTL	Category 6A U/UTP Installation cable, 305m, <b>Gray</b> , LSZH
------------	--

### Green PVC

PL-CA6AUTPG	Category 6A U/UTP Installation cable, 305m, <b>Green</b> , PVC
-------------	--

### Green LSZH

PL-CA6AUTLG	Category 6A U/UTP Installation cable, 305m, <b>Green</b> , LSZH
-------------	---

### Yellow PVC

PL-CA6AUTPY	Category 6A U/UTP Installation cable, 305m, <b>Yellow</b> , PVC
-------------	---

### Yellow LSZH

PL-CA6AUTLY	Category 6A U/UTP Installation cable, 305m, <b>Yellow</b> , LSZH
-------------	--

### Blue PVC

PL-CA6AUTPB	Category 6A U/UTP Installation cable, 305m, <b>Blue</b> , PVC
-------------	---

### Blue LSZH

PL-CA6AUTLB	Category 6A U/UTP Installation cable, 305m, <b>Blue</b> , LSZH
-------------	--

### Red PVC

PL-CA6AUTPR	Category 6A U/UTP Installation cable, 305m, <b>Red</b> , PVC
-------------	--

### Red LSZH

PL-CA6AUTLR	Category 6A U/UTP Installation cable, 305m, <b>Red</b> , LSZH
-------------	---

### Purple PVC

PL-CA6AUTPP	Category 6A U/UTP Installation cable, 305m, <b>Purple</b> , PVC
-------------	---

### Purple LSZH

PL-CA6AUTLP	Category 6A U/UTP Installation cable, 305m, <b>Purple</b> , LSZH
-------------	--

## Cable Cat7 SFTP Part Number

### Gray PVC

PL-CA7STP	Category 7 S/FTP Installation cable, 305m, <b>Gray</b> , PVC
-----------	--

### Gray LSZH

PL-CA7STL	Category 7 S/FTP Installation cable, 305m, <b>Gray</b> , LSZH
-----------	---

### Green PVC

PL-CA7STPG	Category 7 S/FTP Installation cable, 305m, <b>Green</b> , PVC
------------	---

### Green LSZH

PL-CA7STLG	Category 7 S/FTP Installation cable, 305m, <b>Green</b> , LSZH
------------	--

### Yellow PVC

PL-CA7STPY	Category 7 S/FTP Installation cable, 305m, <b>Yellow</b> , PVC
------------	--

### Yellow LSZH

PL-CA7STLY	Category 7 S/FTP Installation cable, 305m, <b>Yellow</b> , LSZH
------------	---

### Blue PVC

PL-CA7STPB	Category 7 S/FTP Installation cable, 305m, <b>Blue</b> , PVC
------------	--

### Blue LSZH

PL-CA7STLB	Category 7 S/FTP Installation cable, 305m, <b>Blue</b> , LSZH
------------	---

### Red PVC

PL-CA7STPR	Category 7 S/FTP Installation cable, 305m, <b>Red</b> , PVC
------------	---

### Red LSZH

PL-CA7STLR	Category 7 S/FTP Installation cable, 305m, <b>Red</b> , LSZH
------------	--

### Purple PVC

PL-CA7STPP	Category 7 S/FTP Installation cable, 305m, <b>Purple</b> , PVC
------------	--

### Purple LSZH

PL-CA7STLP	Category 7 S/FTP Installation cable, 305m, <b>Purple</b> , LSZH
------------	---

## Patch Cord

### PVC Patch Cord CAT.6 UTP:

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025U6GY	PL-PC025U6GR	PL-PC025U6BL	PL-PC025U6RD	PL-PC025U6YW
0.5m	PL-PC05U6GY	PL-PC05U6GR	PL-PC05U6BL	PL-PC05U6RD	PL-PC05U6YW
1m	PL-PC01U6GY	PL-PC01U6GR	PL-PC01U6BL	PL-PC01U6RD	PL-PC01U6YW
2m	PL-PC02U6GY	PL-PC02U6GR	PL-PC02U6BL	PL-PC02U6RD	PL-PC02U6YW
3m	PL-PC03U6GY	PL-PC03U6GR	PL-PC03U6BL	PL-PC03U6RD	PL-PC03U6YW
5m	PL-PC05U6GY	PL-PC05U6GR	PL-PC05U6BL	PL-PC05U6RD	PL-PC05U6YW
7m	PL-PC07U6GY	PL-PC07U6GR	PL-PC07U6BL	PL-PC07U6RD	PL-PC07U6YW
10m	PL-PC10U6GY	PL-PC10U6GR	PL-PC10U6BL	PL-PC10U6RD	PL-PC10U6YW
15m	PL-PC15U6GY	PL-PC15U6GR	PL-PC15U6BL	PL-PC15U6RD	PL-PC15U6YW
20m	PL-PC20U6GY	PL-PC20U6GR	PL-PC20U6BL	PL-PC20U6RD	PL-PC20U6YW
30m	PL-PC30U6GY	PL-PC30U6GR	PL-PC30U6BL	PL-PC30U6RD	PL-PC30U6YW
40m	PL-PC40U6GY	PL-PC40U6GR	PL-PC40U6BL	PL-PC40U6RD	PL-PC40U6YW
50m	PL-PC50U6GY	PL-PC50U6GR	PL-PC50U6BL	PL-PC50U6RD	PL-PC50U6YW

### LSZH Patch Cord CAT.6 UTP:

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025UL6GY	PL-PC025UL6GR	PL-PC025UL6BL	PL-PC025UL6RD	PL-PC025UL6YW
0.5m	PL-PC05UL6GY	PL-PC05UL6GR	PL-PC05UL6BL	PL-PC05UL6RD	PL-PC05UL6YW
1m	PL-PC01UL6GY	PL-PC01UL6GR	PL-PC01UL6BL	PL-PC01UL6RD	PL-PC01UL6YW
2m	PL-PC02UL6GY	PL-PC02UL6GR	PL-PC02UL6BL	PL-PC02UL6RD	PL-PC02UL6YW
3m	PL-PC03UL6GY	PL-PC03UL6GR	PL-PC03UL6BL	PL-PC03UL6RD	PL-PC03UL6YW
5m	PL-PC05UL6GY	PL-PC05UL6GR	PL-PC05UL6BL	PL-PC05UL6RD	PL-PC05UL6YW
7m	PL-PC07UL6GY	PL-PC07UL6GR	PL-PC07UL6BL	PL-PC07UL6RD	PL-PC07UL6YW
10m	PL-PC10UL6GY	PL-PC10UL6GR	PL-PC10UL6BL	PL-PC10UL6RD	PL-PC10UL6YW
15m	PL-PC15UL6GY	PL-PC15UL6GR	PL-PC15UL6BL	PL-PC15UL6RD	PL-PC15UL6YW
20m	PL-PC20UL6GY	PL-PC20UL6GR	PL-PC20UL6BL	PL-PC20UL6RD	PL-PC20UL6YW
30m	PL-PC30UL6GY	PL-PC30UL6GR	PL-PC30UL6BL	PL-PC30UL6RD	PL-PC30UL6YW
40m	PL-PC40UL6GY	PL-PC40UL6GR	PL-PC40UL6BL	PL-PC40UL6RD	PL-PC40UL6YW
50m	PL-PC50UL6GY	PL-PC50UL6GR	PL-PC50UL6BL	PL-PC50UL6RD	PL-PC50UL6YW

## PVC Patch Cord CAT.6A UTP:

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025U6AGY	PL-PC025U6AGR	PL-PC025U6ABL	PL-PC025U6ARD	PL-PC025U6AYW
0.5m	PL-PC05U6AGY	PL-PC05U6AGR	PL-PC05U6ABL	PL-PC05U6ARD	PL-PC05U6AYW
1m	PL-PC01U6AGY	PL-PC01U6AGR	PL-PC01U6ABL	PL-PC01U6ARD	PL-PC01U6AYW
2m	PL-PC02U6AGY	PL-PC02U6AGR	PL-PC02U6ABL	PL-PC02U6ARD	PL-PC02U6AYW
3m	PL-PC03U6AGY	PL-PC03U6AGR	PL-PC03U6ABL	PL-PC03U6ARD	PL-PC03U6AYW
5m	PL-PC05U6AGY	PL-PC05U6AGR	PL-PC05U6ABL	PL-PC05U6ARD	PL-PC05U6AYW
7m	PL-PC07U6AGY	PL-PC07U6AGR	PL-PC07U6ABL	PL-PC07U6ARD	PL-PC07U6AYW
10m	PL-PC10U6AGY	PL-PC10U6AGR	PL-PC10U6ABL	PL-PC10U6ARD	PL-PC10U6AYW
15m	PL-PC15U6AGY	PL-PC15U6AGR	PL-PC15U6ABL	PL-PC15U6ARD	PL-PC15U6AYW
20m	PL-PC20U6AGY	PL-PC20U6AGR	PL-PC20U6ABL	PL-PC20U6ARD	PL-PC20U6AYW
30m	PL-PC30U6AGY	PL-PC30U6AGR	PL-PC30U6ABL	PL-PC30U6ARD	PL-PC30U6AYW
40m	PL-PC40U6AGY	PL-PC40U6AGR	PL-PC40U6ABL	PL-PC40U6ARD	PL-PC40U6AYW
50m	PL-PC50U6AGY	PL-PC50U6AGR	PL-PC50U6ABL	PL-PC50U6ARD	PL-PC50U6AYW

## LSZH Patch Cord CAT.6A UTP:

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025UL6AGY	PL-PC025UL6AGR	PL-PC025UL6ABL	PL-PC025UL6ARD	PL-PC025UL6AYW
0.5m	PL-PC05UL6AGY	PL-PC05UL6AGR	PL-PC05UL6ABL	PL-PC05UL6ARD	PL-PC05UL6AYW
1m	PL-PC01UL6AGY	PL-PC01UL6AGR	PL-PC01UL6ABL	PL-PC01UL6ARD	PL-PC01UL6AYW
2m	PL-PC02UL6AGY	PL-PC02UL6AGR	PL-PC02UL6ABL	PL-PC02UL6ARD	PL-PC02UL6AYW
3m	PL-PC03UL6AGY	PL-PC03UL6AGR	PL-PC03UL6ABL	PL-PC03UL6ARD	PL-PC03UL6AYW
5m	PL-PC05UL6AGY	PL-PC05UL6AGR	PL-PC05UL6ABL	PL-PC05UL6ARD	PL-PC05UL6AYW
7m	PL-PC07UL6AGY	PL-PC07UL6AGR	PL-PC07UL6ABL	PL-PC07UL6ARD	PL-PC07UL6AYW
10m	PL-PC10UL6AGY	PL-PC10UL6AGR	PL-PC10UL6ABL	PL-PC10UL6ARD	PL-PC10UL6AYW
15m	PL-PC15UL6AGY	PL-PC15UL6AGR	PL-PC15UL6ABL	PL-PC15UL6ARD	PL-PC15UL6AYW
20m	PL-PC20UL6AGY	PL-PC20UL6AGR	PL-PC20UL6ABL	PL-PC20UL6ARD	PL-PC20UL6AYW
30m	PL-PC30UL6AGY	PL-PC30UL6AGR	PL-PC30UL6ABL	PL-PC30UL6ARD	PL-PC30UL6AYW
40m	PL-PC40UL6AGY	PL-PC40UL6AGR	PL-PC40UL6ABL	PL-PC40UL6ARD	PL-PC40UL6AYW
50m	PL-PC50UL6AGY	PL-PC50UL6AGR	PL-PC50UL6ABL	PL-PC50UL6ARD	PL-PC50UL6AYW

**PVC Patch Cord CAT.6 FTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025F6GY	PL-PC025F6GR	PL-PC025F6BL	PL-PC025F6RD	PL-PC025F6YW
0.5m	PL-PC05F6GY	PL-PC05F6GR	PL-PC05F6BL	PL-PC05F6RD	PL-PC05F6YW
1m	PL-PC01F6GY	PL-PC01F6GR	PL-PC01F6BL	PL-PC01F6RD	PL-PC01F6YW
2m	PL-PC02F6GY	PL-PC02F6GR	PL-PC02F6BL	PL-PC02F6RD	PL-PC02F6YW
3m	PL-PC03F6GY	PL-PC03F6GR	PL-PC03F6BL	PL-PC03F6RD	PL-PC03F6YW
5m	PL-PC05F6GY	PL-PC05F6GR	PL-PC05F6BL	PL-PC05F6RD	PL-PC05F6YW
7m	PL-PC07F6GY	PL-PC07F6GR	PL-PC07F6BL	PL-PC07F6RD	PL-PC07F6YW
10m	PL-PC10F6GY	PL-PC10F6GR	PL-PC10F6BL	PL-PC10F6RD	PL-PC10F6YW
15m	PL-PC15F6GY	PL-PC15F6GR	PL-PC15F6BL	PL-PC15F6RD	PL-PC15F6YW
20m	PL-PC20F6GY	PL-PC20F6GR	PL-PC20F6BL	PL-PC20F6RD	PL-PC20F6YW
30m	PL-PC30F6GY	PL-PC30F6GR	PL-PC30F6BL	PL-PC30F6RD	PL-PC30F6YW
40m	PL-PC40F6GY	PL-PC40F6GR	PL-PC40F6BL	PL-PC40F6RD	PL-PC40F6YW
50m	PL-PC50F6GY	PL-PC50F6GR	PL-PC50F6BL	PL-PC50F6RD	PL-PC50F6YW

**LSZH Patch Cord CAT.6 FTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025FL6GY	PL-PC025FL6GR	PL-PC025FL6BL	PL-PC025FL6RD	PL-PC025FL6YW
0.5m	PL-PC05FL6GY	PL-PC05FL6GR	PL-PC05FL6BL	PL-PC05FL6RD	PL-PC05FL6YW
1m	PL-PC01FL6GY	PL-PC01FL6GR	PL-PC01FL6BL	PL-PC01FL6RD	PL-PC01FL6YW
2m	PL-PC02FL6GY	PL-PC02FL6GR	PL-PC02FL6BL	PL-PC02FL6RD	PL-PC02FL6YW
3m	PL-PC03FL6GY	PL-PC03FL6GR	PL-PC03FL6BL	PL-PC03FL6RD	PL-PC03FL6YW
5m	PL-PC05FL6GY	PL-PC05FL6GR	PL-PC05FL6BL	PL-PC05FL6RD	PL-PC05FL6YW
7m	PL-PC07FL6GY	PL-PC07FL6GR	PL-PC07FL6BL	PL-PC07FL6RD	PL-PC07FL6YW
10m	PL-PC10FL6GY	PL-PC10FL6GR	PL-PC10FL6BL	PL-PC10FL6RD	PL-PC10FL6YW
15m	PL-PC15FL6GY	PL-PC15FL6GR	PL-PC15FL6BL	PL-PC15FL6RD	PL-PC15FL6YW
20m	PL-PC20FL6GY	PL-PC20FL6GR	PL-PC20FL6BL	PL-PC20FL6RD	PL-PC20FL6YW
30m	PL-PC30FL6GY	PL-PC30FL6GR	PL-PC30FL6BL	PL-PC30FL6RD	PL-PC30FL6YW
40m	PL-PC40FL6GY	PL-PC40FL6GR	PL-PC40FL6BL	PL-PC40FL6RD	PL-PC40FL6YW
50m	PL-PC50FL6GY	PL-PC50FL6GR	PL-PC50FL6BL	PL-PC50FL6RD	PL-PC50FL6YW

**PVC Patch Cord CAT.6 SFTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025S6GY	PL-PC025S6GR	PL-PC025S6BL	PL-PC025S6RD	PL-PC025S6YW
0.5m	PL-PC05S6GY	PL-PC05S6GR	PL-PC05S6BL	PL-PC05S6RD	PL-PC05S6YW
1m	PL-PC01S6GY	PL-PC01S6GR	PL-PC01S6BL	PL-PC01S6RD	PL-PC01S6YW
2m	PL-PC02S6GY	PL-PC02S6GR	PL-PC02S6BL	PL-PC02S6RD	PL-PC02S6YW
3m	PL-PC03S6GY	PL-PC03S6GR	PL-PC03S6BL	PL-PC03S6RD	PL-PC03S6YW
5m	PL-PC05S6GY	PL-PC05S6GR	PL-PC05S6BL	PL-PC05S6RD	PL-PC05S6YW
7m	PL-PC07S6GY	PL-PC07S6GR	PL-PC07S6BL	PL-PC07S6RD	PL-PC07S6YW
10m	PL-PC10S6GY	PL-PC10S6GR	PL-PC10S6BL	PL-PC10S6RD	PL-PC10S6YW
15m	PL-PC15S6GY	PL-PC15S6GR	PL-PC15S6BL	PL-PC15S6RD	PL-PC15S6YW
20m	PL-PC20S6GY	PL-PC20S6GR	PL-PC20S6BL	PL-PC20S6RD	PL-PC20S6YW
30m	PL-PC30S6GY	PL-PC30S6GR	PL-PC30S6BL	PL-PC30S6RD	PL-PC30S6YW
40m	PL-PC40S6GY	PL-PC40S6GR	PL-PC40S6BL	PL-PC40S6RD	PL-PC40S6YW
50m	PL-PC50S6GY	PL-PC50S6GR	PL-PC50S6BL	PL-PC50S6RD	PL-PC50S6YW

**LSZH Patch Cord CAT.6 SFTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025SL6GY	PL-PC025SL6GR	PL-PC025SL6BL	PL-PC025SL6RD	PL-PC025SL6YW
0.5m	PL-PC05SL6GY	PL-PC05SL6GR	PL-PC05SL6BL	PL-PC05SL6RD	PL-PC05SL6YW
1m	PL-PC01SL6GY	PL-PC01SL6GR	PL-PC01SL6BL	PL-PC01SL6RD	PL-PC01SL6YW
2m	PL-PC02SL6GY	PL-PC02SL6GR	PL-PC02SL6BL	PL-PC02SL6RD	PL-PC02SL6YW
3m	PL-PC03SL6GY	PL-PC03SL6GR	PL-PC03SL6BL	PL-PC03SL6RD	PL-PC03SL6YW
5m	PL-PC05SL6GY	PL-PC05SL6GR	PL-PC05SL6BL	PL-PC05SL6RD	PL-PC05SL6YW
7m	PL-PC07SL6GY	PL-PC07SL6GR	PL-PC07SL6BL	PL-PC07SL6RD	PL-PC07SL6YW
10m	PL-PC10SL6GY	PL-PC10SL6GR	PL-PC10SL6BL	PL-PC10SL6RD	PL-PC10SL6YW
15m	PL-PC15SL6GY	PL-PC15SL6GR	PL-PC15SL6BL	PL-PC15SL6RD	PL-PC15SL6YW
20m	PL-PC20SL6GY	PL-PC20SL6GR	PL-PC20SL6BL	PL-PC20SL6RD	PL-PC20SL6YW
30m	PL-PC30SL6GY	PL-PC30SL6GR	PL-PC30SL6BL	PL-PC30SL6RD	PL-PC30SL6YW
40m	PL-PC40SL6GY	PL-PC40SL6GR	PL-PC40SL6BL	PL-PC40SL6RD	PL-PC40SL6YW
50m	PL-PC50SL6GY	PL-PC50SL6GR	PL-PC50SL6BL	PL-PC50SL6RD	PL-PC50SL6YW

**PVC Patch Cord CAT.6A FTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025F6AGY	PL-PC025F6AGR	PL-PC025F6ABL	PL-PC025F6ARD	PL-PC025F6AYW
0.5m	PL-PC05F6AGY	PL-PC05F6AGR	PL-PC05F6ABL	PL-PC05F6ARD	PL-PC05F6AYW
1m	PL-PC01F6AGY	PL-PC01F6AGR	PL-PC01F6ABL	PL-PC01F6ARD	PL-PC01F6AYW
2m	PL-PC02F6AGY	PL-PC02F6AGR	PL-PC02F6ABL	PL-PC02F6ARD	PL-PC02F6AYW
3m	PL-PC03F6AGY	PL-PC03F6AGR	PL-PC03F6ABL	PL-PC03F6ARD	PL-PC03F6AYW
5m	PL-PC05F6AGY	PL-PC05F6AGR	PL-PC05F6ABL	PL-PC05F6ARD	PL-PC05F6AYW
7m	PL-PC07F6AGY	PL-PC07F6AGR	PL-PC07F6ABL	PL-PC07F6ARD	PL-PC07F6AYW
10m	PL-PC10F6AGY	PL-PC10F6AGR	PL-PC10F6ABL	PL-PC10F6ARD	PL-PC10F6AYW
15m	PL-PC15F6AGY	PL-PC15F6AGR	PL-PC15F6ABL	PL-PC15F6ARD	PL-PC15F6AYW
20m	PL-PC20F6AGY	PL-PC20F6AGR	PL-PC20F6ABL	PL-PC20F6ARD	PL-PC20F6AYW
30m	PL-PC30F6AGY	PL-PC30F6AGR	PL-PC30F6ABL	PL-PC30F6ARD	PL-PC30F6AYW
40m	PL-PC40F6AGY	PL-PC40F6AGR	PL-PC40F6ABL	PL-PC40F6ARD	PL-PC40F6AYW
50m	PL-PC50F6AGY	PL-PC50F6AGR	PL-PC50F6ABL	PL-PC50F6ARD	PL-PC50F6AYW

**LSZH Patch Cord CAT.6A FTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025FL6AGY	PL-PC025FL6AGR	PL-PC025FL6ABL	PL-PC025FL6ARD	PL-PC025FL6YW
0.5m	PL-PC05FL6AGY	PL-PC05FL6AGR	PL-PC05FL6ABL	PL-PC05FL6ARD	PL-PC05FL6YW
1m	PL-PC01FL6AGY	PL-PC01FL6AGR	PL-PC01FL6ABL	PL-PC01FL6ARD	PL-PC01FL6YW
2m	PL-PC02FL6AGY	PL-PC02FL6AGR	PL-PC02FL6ABL	PL-PC02FL6ARD	PL-PC02FL6YW
3m	PL-PC03FL6AGY	PL-PC03FL6AGR	PL-PC03FL6ABL	PL-PC03FL6ARD	PL-PC03FL6YW
5m	PL-PC05FL6AGY	PL-PC05FL6AGR	PL-PC05FL6ABL	PL-PC05FL6ARD	PL-PC05FL6YW
7m	PL-PC07FL6AGY	PL-PC07FL6AGR	PL-PC07FL6ABL	PL-PC07FL6ARD	PL-PC07FL6YW
10m	PL-PC10FL6AGY	PL-PC10FL6AGR	PL-PC10FL6ABL	PL-PC10FL6ARD	PL-PC10FL6YW
15m	PL-PC15FL6AGY	PL-PC15FL6AGR	PL-PC15FL6ABL	PL-PC15FL6ARD	PL-PC15FL6YW
20m	PL-PC20FL6AGY	PL-PC20FL6AGR	PL-PC20FL6ABL	PL-PC20FL6ARD	PL-PC20FL6YW
30m	PL-PC30FL6AGY	PL-PC30FL6AGR	PL-PC30FL6ABL	PL-PC30FL6ARD	PL-PC30FL6YW
40m	PL-PC40FL6AGY	PL-PC40FL6AGR	PL-PC40FL6ABL	PL-PC40FL6ARD	PL-PC40FL6YW
50m	PL-PC50FL6AGY	PL-PC50FL6AGR	PL-PC50FL6ABL	PL-PC50FL6ARD	PL-PC50FL6YW

**PVC Patch Cord CAT.6A SFTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025S6AGY	PL-PC025S6AGR	PL-PC025S6ABL	PL-PC025S6ARD	PL-PC025S6AYW
0.5m	PL-PC05S6AGY	PL-PC05S6AGR	PL-PC05S6ABL	PL-PC05S6ARD	PL-PC05S6AYW
1m	PL-PC01S6AGY	PL-PC01S6AGR	PL-PC01S6ABL	PL-PC01S6ARD	PL-PC01S6AYW
2m	PL-PC02S6AGY	PL-PC02S6AGR	PL-PC02S6ABL	PL-PC02S6ARD	PL-PC02S6AYW
3m	PL-PC03S6AGY	PL-PC03S6AGR	PL-PC03S6ABL	PL-PC03S6ARD	PL-PC03S6AYW
5m	PL-PC05S6AGY	PL-PC05S6AGR	PL-PC05S6ABL	PL-PC05S6ARD	PL-PC05S6AYW
7m	PL-PC07S6AGY	PL-PC07S6AGR	PL-PC07S6ABL	PL-PC07S6ARD	PL-PC07S6AYW
10m	PL-PC10S6AGY	PL-PC10S6AGR	PL-PC10S6ABL	PL-PC10S6ARD	PL-PC10S6AYW
15m	PL-PC15S6AGY	PL-PC15S6AGR	PL-PC15S6ABL	PL-PC15S6ARD	PL-PC15S6AYW
20m	PL-PC20S6AGY	PL-PC20S6AGR	PL-PC20S6ABL	PL-PC20S6ARD	PL-PC20S6AYW
30m	PL-PC30S6AGY	PL-PC30S6AGR	PL-PC30S6ABL	PL-PC30S6ARD	PL-PC30S6AYW
40m	PL-PC40S6AGY	PL-PC40S6AGR	PL-PC40S6ABL	PL-PC40S6ARD	PL-PC40S6AYW
50m	PL-PC50S6AGY	PL-PC50S6AGR	PL-PC50S6ABL	PL-PC50S6ARD	PL-PC50S6AYW

**LSZH Patch Cord CAT.6A SFTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025SL6AGY	PL-PC025SL6AGR	PL-PC025SL6ABL	PL-PC025SL6ARD	PL-PC025SL6AYW
0.5m	PL-PC05SL6AGY	PL-PC05SL6AGR	PL-PC05SL6ABL	PL-PC05SL6ARD	PL-PC05SL6AYW
1m	PL-PC01SL6AGY	PL-PC01SL6AGR	PL-PC01SL6ABL	PL-PC01SL6ARD	PL-PC01SL6AYW
2m	PL-PC02SL6AGY	PL-PC02SL6AGR	PL-PC02SL6ABL	PL-PC02SL6ARD	PL-PC02SL6AYW
3m	PL-PC03SL6AGY	PL-PC03SL6AGR	PL-PC03SL6ABL	PL-PC03SL6ARD	PL-PC03SL6AYW
5m	PL-PC05SL6AGY	PL-PC05SL6AGR	PL-PC05SL6ABL	PL-PC05SL6ARD	PL-PC05SL6AYW
7m	PL-PC07SL6AGY	PL-PC07SL6AGR	PL-PC07SL6ABL	PL-PC07SL6ARD	PL-PC07SL6AYW
10m	PL-PC10SL6AGY	PL-PC10SL6AGR	PL-PC10SL6ABL	PL-PC10SL6ARD	PL-PC10SL6AYW
15m	PL-PC15SL6AGY	PL-PC15SL6AGR	PL-PC15SL6ABL	PL-PC15SL6ARD	PL-PC15SL6AYW
20m	PL-PC20SL6AGY	PL-PC20SL6AGR	PL-PC20SL6ABL	PL-PC20SL6ARD	PL-PC20SL6AYW
30m	PL-PC30SL6AGY	PL-PC30SL6AGR	PL-PC30SL6ABL	PL-PC30SL6ARD	PL-PC30SL6AYW
40m	PL-PC40SL6AGY	PL-PC40SL6AGR	PL-PC40SL6ABL	PL-PC40SL6ARD	PL-PC40SL6AYW
50m	PL-PC50SL6AGY	PL-PC50SL6AGR	PL-PC50SL6ABL	PL-PC50SL6ARD	PL-PC50SL6AYW

**PVC Patch Cord CAT.7 SFTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025S7GY	PL-PC025S7GR	PL-PC025S7BL	PL-PC025S7RD	PL-PC025S7YW
0.5m	PL-PC05S7GY	PL-PC05S7GR	PL-PC05S7BL	PL-PC05S7RD	PL-PC05S7YW
1m	PL-PC01S7GY	PL-PC01S7GR	PL-PC01S7BL	PL-PC01S7RD	PL-PC01S7YW
2m	PL-PC02S7GY	PL-PC02S7GR	PL-PC02S7BL	PL-PC02S7RD	PL-PC02S7YW
3m	PL-PC03S7GY	PL-PC03S7GR	PL-PC03S7BL	PL-PC03S7RD	PL-PC03S7YW
5m	PL-PC05S7GY	PL-PC05S7GR	PL-PC05S7BL	PL-PC05S7RD	PL-PC05S7YW
7m	PL-PC07S7GY	PL-PC07S7GR	PL-PC07S7BL	PL-PC07S7RD	PL-PC07S7YW
10m	PL-PC10S7GY	PL-PC10S7GR	PL-PC10S7BL	PL-PC10S7RD	PL-PC10S7YW
15m	PL-PC15S7GY	PL-PC15S7GR	PL-PC15S7BL	PL-PC15S7RD	PL-PC15S7YW
20m	PL-PC20S7GY	PL-PC20S7GR	PL-PC20S7BL	PL-PC20S7RD	PL-PC20S7YW
30m	PL-PC30S7GY	PL-PC30S7GR	PL-PC30S7BL	PL-PC30S7RD	PL-PC30S7YW
40m	PL-PC40S7GY	PL-PC40S7GR	PL-PC40S7BL	PL-PC40S7RD	PL-PC40S7YW
50m	PL-PC50S7GY	PL-PC50S7GR	PL-PC50S7BL	PL-PC50S7RD	PL-PC50S7YW


**LSZH Patch Cord CAT.7 SFTP:**

LENGTH	GREY	GREEN	BLUE	RED	YELLOW
0.25m	PL-PC025SL7GY	PL-PC025SL7GR	PL-PC025SL7BL	PL-PC025SL7RD	PL-PC025SL7YW
0.5m	PL-PC05SL7GY	PL-PC05SL7GR	PL-PC05SL7BL	PL-PC05SL7RD	PL-PC05SL7YW
1m	PL-PC01SL7GY	PL-PC01SL7GR	PL-PC01SL7BL	PL-PC01SL7RD	PL-PC01SL7YW
2m	PL-PC02SL7GY	PL-PC02SL7GR	PL-PC02SL7BL	PL-PC02SL7RD	PL-PC02SL7YW
3m	PL-PC03SL7GY	PL-PC03SL7GR	PL-PC03SL7BL	PL-PC03SL7RD	PL-PC03SL7YW
5m	PL-PC05SL7GY	PL-PC05SL7GR	PL-PC05SL7BL	PL-PC05SL7RD	PL-PC05SL7YW
7m	PL-PC07SL7GY	PL-PC07SL7GR	PL-PC07SL7BL	PL-PC07SL7RD	PL-PC07SL7YW
10m	PL-PC10SL7GY	PL-PC10SL7GR	PL-PC10SL7BL	PL-PC10SL7RD	PL-PC10SL7YW
15m	PL-PC15SL7GY	PL-PC15SL7GR	PL-PC15SL7BL	PL-PC15SL7RD	PL-PC15SL7YW
20m	PL-PC20SL7GY	PL-PC20SL7GR	PL-PC20SL7BL	PL-PC20SL7RD	PL-PC20SL7YW
30m	PL-PC30SL7GY	PL-PC30SL7GR	PL-PC30SL7BL	PL-PC30SL7RD	PL-PC30SL7YW
40m	PL-PC40SL7GY	PL-PC40SL7GR	PL-PC40SL7BL	PL-PC40SL7RD	PL-PC40SL7YW
50m	PL-PC50SL7GY	PL-PC50SL7GR	PL-PC50SL7BL	PL-PC50SL7RD	PL-PC50SL7YW

**Fiber Patch Cord SC/SC**

Part Number	Description
<b>SC/SC UPC Duplex Single Mode</b>	
PL-PC22DSUxx	SC/SC UPC Duplex <b>Single Mode</b> , OS2
<b>SC/SC UPC Simplex Single Mode</b>	
PL-PC22SSUxx	SC/SC UPC Simplex <b>Single Mode</b> , OS2
<b>SC/SC APC Duplex Single Mode</b>	
PL-PC22DSAxx	SC/SC <b>APC</b> Duplex <b>Single Mode</b> , OS2
<b>SC/SC APC Simplex Single Mode</b>	
PL-PC22SAxx	SC/SC <b>APC</b> Simplex <b>Single Mode</b> , OS2
<b>SC/SC UPC Duplex Multi Mode OM2</b>	
PL-PC22DMUxx	SC/SC UPC Duplex <b>Multi Mode,OM2</b>
<b>SC/SC UPC Simplex Multi Mode OM2</b>	
PL-PC22SMUxx	SC/SC UPC Simplex <b>Multi Mode,OM2</b>
<b>SC/SC UPC Duplex Multi Mode OM3</b>	
PL-PC22DM3Uxx	SC/SC UPC Duplex <b>Multi Mode,OM3</b>
<b>SC/SC UPC Simplex Multi Mode OM3</b>	
PL-PC22SM3Uxx	SC/SC UPC Simplex <b>Multi Mode,OM3</b>
<b>SC/SC UPC Duplex Multi Mode OM4</b>	
PL-PC22DM4Uxx	SC/SC UPC Duplex <b>Multi Mode,OM4</b>
<b>SC/SC UPC Simplex Multi Mode OM4</b>	
PL-PC22SM4Uxx	SC/SC UPC Simplex <b>Multi Mode,OM4</b>

xx= Length



## Fiber Patch Cord SC/LC

Part Number	Description
<b>SC/LC UPC Duplex Single Mode</b>	
PL-PCSLDSUxx	SC/LC UPC Duplex <b>Single Mode</b> , OS2
<b>SC/LC UPC Simplex Single Mode</b>	
PL-PCSLSSUxx	SC/LC UPC <b>Simplex Single Mode</b> , OS2
<b>SC/LC APC Duplex Single Mode</b>	
PL-PCSLDSAxx	SC/LC <b>APC Duplex Single Mode</b> , OS2
<b>SC/LC APC Simplex Single Mode</b>	
PL-PCSLSSAxx	SC/LC <b>APC Simplex Single Mode</b> , OS2
<b>SC/LC UPC Duplex Multi Mode OM2</b>	
PL-PCSLDMUxx	SC/LC UPC Duplex <b>Multi Mode,OM2</b>
<b>SC/LC UPC Simplex Multi Mode OM2</b>	
PL-PCSLSMUxx	SC/LC UPC <b>Simplex Multi Mode,OM2</b>
<b>SC/LC UPC Duplex Multi Mode OM3</b>	
PL-PCSLDM3Uxx	SC/LC UPC Duplex <b>Multi Mode,OM3</b>
<b>SC/LC UPC Simplex Multi Mode OM3</b>	
PL-PCSLSM3Uxx	SC/LC UPC <b>Simplex Multi Mode,OM3</b>
<b>SC/LC UPC Duplex Multi Mode OM4</b>	
PL-PCSLDM4Uxx	SC/LC UPC Duplex <b>Multi Mode,OM4</b>
<b>SC/LC UPC Simplex Multi Mode OM4</b>	
PL-PCSLSM4Uxx	SC/LC UPC <b>Simplex Multi Mode,OM4</b>


xx= Length



## Fiber Patch Cord LC/LC

Part Number	Description
<b>LC/LC UPC Duplex Single Mode</b>	
PL-PCLLDSUxx	LC/LC UPC Duplex <b>Single Mode</b> , OS2
<b>LC/LC UPC Simplex Single Mode</b>	
PL-PCLLSSUxx	LC/LC UPC Simplex <b>Single Mode</b> , OS2
<b>LC/LC APC Duplex Single Mode</b>	
PL-PCLLDSAxx	LC/LC <b>APC</b> Duplex <b>Single Mode</b> , OS2
<b>LC/LC APC Simplex Single Mode</b>	
PL-PCLLSSAxx	LC/LC <b>APC</b> Simplex <b>Single Mode</b> , OS2
<b>LC/LC UPC Duplex Multi Mode OM2</b>	
PL-PCLLDMUxx	LC/LC UPC Duplex <b>Multi Mode,OM2</b>
<b>LC/LC UPC Simplex Multi Mode OM2</b>	
PL-PCLLSMUxx	LC/LC UPC Simplex <b>Multi Mode,OM2</b>
<b>LC/LC UPC Duplex Multi Mode OM3</b>	
PL-PCLLDM3Uxx	LC/LC UPC Duplex <b>Multi Mode,OM3</b>
<b>LC/LC UPC Simplex Multi Mode OM3</b>	
PL-PCLLSM3Uxx	LC/LC UPC Simplex <b>Multi Mode,OM3</b>
<b>LC/LC UPC Duplex Multi Mode OM4</b>	
PL-PCLLDM4Uxx	LC/LC UPC Duplex <b>Multi Mode,OM4</b>
<b>LC/LC UPC Simplex Multi Mode OM4</b>	
PL-PCLLSM4Uxx	LC/LC UPC Simplex <b>Multi Mode,OM4</b>

xx= Length



## Pigtails

LC Pigtail:

Part Number	Description
PL-PS2LCU15	LC/UPC <b>Single Mode</b> 0.9mm Pigtail, 1.5 meter
PL-PS2LC12B15	LC/UPC <b>Single Mode</b> 12 Fibers Bundle Pigtail
PL-PS2LCA15	LC/ <b>APC</b> <b>Single Mode</b> 0.9mm Pigtail, 1.5 meter
PL-PS2LC12BA15	LC/ <b>APC</b> <b>Single Mode</b> 12 Fibers Bundle Pigtail
PL-PM2LCU15	LC/UPC <b>Multi Mode OM2</b> 0.9mm Pigtail, 1.5 meter
PL-PM2LC12B15	LC/UPC <b>Multi Mode OM2</b> 12 Fibers Bundle Pigtail
PL-PM3LCU15	LC/UPC <b>Multi Mode OM3</b> 0.9mm Pigtail, 1.5 meter
PL-PM3LC12B15	LC/UPC <b>Multi Mode OM3</b> 12 Fibers Bundle Pigtail
PL-PM4LCU15	LC/UPC <b>Multi Mode OM4</b> 0.9mm Pigtail, 1.5 meter
PL-PM4LC12B15	LC/UPC <b>Multi Mode OM4</b> 12 Fibers Bundle Pigtail

SC Pigtail:

Part Number	Description
PL-PS2SCU15	SC/UPC <b>Single Mode</b> 0.9mm Pigtail, 1.5 meter
PL-PS2SC12B15	SC/UPC <b>Single Mode</b> 12 Fibers Bundle Pigtail
PL-PS2SCA15	SC/ <b>APC</b> <b>Single Mode</b> 0.9mm Pigtail, 1.5 meter
PL-PS2SC12BA15	SC/ <b>APC</b> <b>Single Mode</b> 12 Fibers Bundle Pigtail
PL-PM2SCU15	SC/UPC <b>Multi Mode OM2</b> 0.9mm Pigtail, 1.5 meter
PL-PM2SC12B15	SC/UPC <b>Multi Mode OM2</b> 12 Fibers Bundle Pigtail
PL-PM3SCU15	SC/UPC <b>Multi Mode OM3</b> 0.9mm Pigtail, 1.5 meter
PL-PM3SC12B15	SC/UPC <b>Multi Mode OM3</b> 12 Fibers Bundle Pigtail
PL-PM4SCU15	SC/UPC <b>Multi Mode OM4</b> 0.9mm Pigtail, 1.5 meter
PL-PM4SC12B15	SC/UPC <b>Multi Mode OM4</b> 12 Fibers Bundle Pigtail

## Adapter

LC Adapter

Part Number	Description
PL-FADLCUSD	LC/UPC <b>Single Mode</b> Duplex Adapter
PL-FADLCUSQ	LC/UPC <b>Single Mode</b> Quad Adapter
PL-FADLCASD	LC/ <b>APC</b> <b>Single Mode</b> Duplex Adapter
PL-FADLCASQ	LC/ <b>APC</b> <b>Single Mode</b> Quad Adapter
PL-FADLCU0MD	LC/UPC <b>Multi Mode</b> Duplex Adapter
PL-FADLCU0MQ	LC/UPC <b>Multi Mode</b> Quad Adapter
PL-FADLCU3MD	LC/UPC <b>Multi Mode OM3</b> Duplex Adapter
PL-FADLCU3MQ	LC/UPC <b>Multi Mode OM3</b> Quad Adapter
PL-FADLCU4MD	LC/UPC <b>Multi Mode OM4</b> Duplex Adapter
PL-FADLCU4MQ	LC/UPC <b>Multi Mode OM4</b> Quad Adapter

SC Adapter

Part Number	Description
PL-FADSCUSS	SC/UPC <b>Single Mode</b> Simplex Adapter
PL-FADSCUSD	SC/UPC <b>Single Mode</b> Duplex Adapter
PL-FADSCASS	SC/ <b>APC</b> <b>Single Mode</b> Simplex Adapter
PL-FADSCASD	SC/ <b>APC</b> <b>Single Mode</b> Duplex Adapter
PL-FADSCU0MS	SC/UPC <b>Multi Mode</b> Simplex Adapter
PL-FADSCU0MD	SC/UPC <b>Multi Mode</b> Duplex Adapter
PL-FADSCU3MS	SC/UPC <b>Multi Mode OM3</b> Simplex Adapter
PL-FADSCU3MD	SC/UPC <b>Multi Mode OM3</b> Duplex Adapter
PL-FADSCU4MS	SC/UPC <b>Multi Mode OM4</b> Simplex Adapter
PL-FADSCU4MD	SC/UPC <b>Multi Mode OM4</b> Duplex Adapter

## Network Cabints

Size 600×600 :

Part Number	Description
<b>Glass Front Door , Metallic rear door</b>	
PL-FG22U66	22U (W600 x D600)mm Glass Front Door , Metallic rear door
PL-FG27U66	27U (W600 x D600)mm Glass Front Door , Metallic rear door
PL-FG32U66	32U (W600 x D600)mm Glass Front Door , Metallic rear door
PL-FG37U66	37U (W600 x D600)mm Glass Front Door , Metallic rear door
PL-FG42U66	42U (W600 x D600)mm Glass Front Door , Metallic rear door
PL-FG47U66	47U (W600 x D600)mm Glass Front Door , Metallic rear door
<b>Perforated front door + Metallic rear door</b>	
PL-FH22U66	22U (W600 x D600)mm Perforated front door + Metallic rear door
PL-FH27U66	27U (W600 x D600)mm Perforated front door + Metallic rear door
PL-FH32U66	32U (W600 x D600)mm Perforated front door + Metallic rear door
PL-FH37U66	37U (W600 x D600)mm Perforated front door + Metallic rear door
PL-FH42U66	42U (W600 x D600)mm Perforated front door + Metallic rear door
PL-FH47U66	47U (W600 x D600)mm Perforated front door + Metallic rear door
<b>Glass front door + Perforated rear door</b>	
PL-FK22U66	22U (W600 x D600)mm Glass front door + Perforated rear door
PL-FK27U66	27U (W600 x D600)mm Glass front door + Perforated rear door
PL-FK32U66	32U (W600 x D600)mm Glass front door + Perforated rear door
PL-FK37U66	37U (W600 x D600)mm Glass front door + Perforated rear door
PL-FK42U66	42U (W600 x D600)mm Glass front door + Perforated rear door
PL-FK47U66	47U (W600 x D600)mm Glass front door + Perforated rear door
<b>Dual perforated door / front &amp; back</b>	
PL-FP22U66	22U (W600 x D600)mm Dual perforated door / front & back
PL-FP27U66	27U (W600 x D600)mm Dual perforated door / front & back
PL-FP32U66	32U (W600 x D600)mm Dual perforated door / front & back
PL-FP37U66	37U (W600 x D600)mm Dual perforated door / front & back
PL-FP42U66	42U (W600 x D600)mm Dual perforated door / front & back
PL-FP47U66	47U (W600 x D600)mm Dual perforated door / front & back
<b>Perforated front door + Dual perforated rear door</b>	
PL-FS22U66	22U (W600 x D600)mm Perforated front door + Dual perforated rear door
PL-FS27U66	27U (W600 x D600)mm Perforated front door + Dual perforated rear door
PL-FS32U66	32U (W600 x D600)mm Perforated front door + Dual perforated rear door
PL-FS37U66	37U (W600 x D600)mm Perforated front door + Dual perforated rear door
PL-FS42U66	42U (W600 x D600)mm Perforated front door + Dual perforated rear door
PL-FS47U66	47U (W600 x D600)mm Perforated front door + Dual perforated rear door

Size 600×800 :

Part Number	Description
<b>Glass Front Door , Metallic rear door</b>	
PL-FG22U68	22U (W600 x D800)mm Glass Front Door , Metallic rear door
PL-FG27U68	27U (W600 x D800)mm Glass Front Door , Metallic rear door
PL-FG32U68	32U (W600 x D800)mm Glass Front Door , Metallic rear door
PL-FG37U68	37U (W600 x D800)mm Glass Front Door , Metallic rear door
PL-FG42U68	42U (W600 x D800)mm Glass Front Door , Metallic rear door
PL-FG47U68	47U (W600 x D800)mm Glass Front Door , Metallic rear door
<b>Perforated front door + Metallic rear door</b>	
PL-FH22U68	22U (W600 x D800)mm Perforated front door + Metallic rear door
PL-FH27U68	27U (W600 x D800)mm Perforated front door + Metallic rear door
PL-FH32U68	32U (W600 x D800)mm Perforated front door + Metallic rear door
PL-FH37U68	37U (W600 x D800)mm Perforated front door + Metallic rear door
PL-FG42U68	42U (W600 x D800)mm Glass Front Door , Metallic rear door
PL-FG47U68	47U (W600 x D800)mm Glass Front Door , Metallic rear door
<b>Glass front door + Perforated rear door</b>	
PL-FK22U68	22U (W600 x D800)mm Glass front door + Perforated rear door
PL-FK27U68	27U (W600 x D800)mm Glass front door + Perforated rear door
PL-FK32U68	32U (W600 x D800)mm Glass front door + Perforated rear door
PL-FK37U68	37U (W600 x D800)mm Glass front door + Perforated rear door
PL-FG42U68	42U (W600 x D800)mm Glass Front Door , Metallic rear door
PL-FG47U68	47U (W600 x D800)mm Glass Front Door , Metallic rear door
<b>Dual perforated door / front &amp; back</b>	
PL-FP22U68	22U (W600 x D800)mm Dual perforated door / front & back
PL-FP27U68	27U (W600 x D800)mm Dual perforated door / front & back
PL-FP32U68	32U (W600 x D800)mm Dual perforated door / front & back
PL-FP37U68	37U (W600 x D800)mm Dual perforated door / front & back
PL-FP42U68	42U (W600 x D800)mm Dual perforated door / front & back
PL-FP47U68	47U (W600 x D800)mm Dual perforated door / front & back
<b>Perforated front door + Dual perforated rear door</b>	
PL-FS22U68	22U (W600 x D800)mm Perforated front door + Dual perforated rear door
PL-FS27U68	27U (W600 x D800)mm Perforated front door + Dual perforated rear door
PL-FS32U68	32U (W600 x D800)mm Perforated front door + Dual perforated rear door
PL-FS37U68	37U (W600 x D800)mm Perforated front door + Dual perforated rear door
PL-FP42U68	42U (W600 x D800)mm Dual perforated door / front & back
PL-FP47U68	47U (W600 x D800)mm Dual perforated door / front & back

Size 800×800 :

Part Number	Description
<b>Glass Front Door , Metallic rear door</b>	
PL-FG22U88	22U (W800 x D800)mm Glass Front Door , Metallic rear door
PL-FG27U88	27U (W800 x D800)mm Glass Front Door , Metallic rear door
PL-FG32U88	32U (W800 x D800)mm Glass Front Door , Metallic rear door
PL-FG37U88	37U (W800 x D800)mm Glass Front Door , Metallic rear door
PL-FG42U88	42U (W800 x D800)mm Glass Front Door , Metallic rear door
PL-FG47U88	42U (W800 x D800)mm Glass Front Door , Metallic rear door
<b>Perforated front door + Metallic rear door</b>	
PL-FH22U88	22U (W800 x D800)mm Perforated front door + Metallic rear door
PL-FH27U88	27U (W800 x D800)mm Perforated front door + Metallic rear door
PL-FH32U88	32U (W800 x D800)mm Perforated front door + Metallic rear door
PL-FH37U88	37U (W800 x D800)mm Perforated front door + Metallic rear door
PL-FH42U88	42U (W800 x D800)mm Perforated front door + Metallic rear door
PL-FH47U88	47U (W800 x D800)mm Perforated front door + Metallic rear door
<b>Glass front door + Perforated rear door</b>	
PL-FK22U88	22U (W800 x D800)mm Glass front door + Perforated rear door
PL-FK27U88	27U (W800 x D800)mm Glass front door + Perforated rear door
PL-FK32U88	32U (W800 x D800)mm Glass front door + Perforated rear door
PL-FK37U88	37U (W800 x D800)mm Glass front door + Perforated rear door
PL-FK42U88	42U (W800 x D800)mm Glass front door + Perforated rear door
PL-FK47U88	47U (W800 x D800)mm Glass front door + Perforated rear door
<b>Dual perforated door / front &amp; back</b>	
PL-FP22U88	22U (W800 x D800)mm Dual perforated door / front & back
PL-FP27U88	27U (W800 x D800)mm Dual perforated door / front & back
PL-FP32U88	32U (W800 x D800)mm Dual perforated door / front & back
PL-FP37U88	37U (W800 x D800)mm Dual perforated door / front & back
PL-FP42U88	42U (W800 x D800)mm Dual perforated door / front & back
PL-FP47U88	47U (W800 x D800)mm Dual perforated door / front & back
<b>Perforated front door + Dual perforated rear door</b>	
PL-FS22U88	22U (W800 x D800)mm Perforated front door + Dual perforated rear door
PL-FS27U88	27U (W800 x D800)mm Perforated front door + Dual perforated rear door
PL-FS32U88	32U (W800 x D800)mm Perforated front door + Dual perforated rear door
PL-FS37U88	37U (W800 x D800)mm Perforated front door + Dual perforated rear door
PL-FS42U88	42U (W800 x D800)mm Perforated front door + Dual perforated rear door
PL-FS47U88	47U (W800 x D800)mm Perforated front door + Dual perforated rear door

**Size 600×1000 :**

Part Number	Description
<b>Glass Front Door , Metallic rear door</b>	
PL-FG22U61	22U (W600 x D1000)mm Glass Front Door , Metallic rear door
PL-FG27U61	27U (W600 x D1000)mm Glass Front Door , Metallic rear door
PL-FG32U61	32U (W600 x D1000)mm Glass Front Door , Metallic rear door
PL-FG37U61	37U (W600 x D1000)mm Glass Front Door , Metallic rear door
PL-FG42U61	42U (W600 x D1000)mm Glass Front Door , Metallic rear door
PL-FG47U61	47U (W600 x D1000)mm Glass Front Door , Metallic rear door
<b>Perforated front door + Metallic rear door</b>	
PL-FH22U61	22U (W600 x D1000)mm Perforated front door + Metallic rear door
PL-FH27U61	27U (W600 x D1000)mm Perforated front door + Metallic rear door
PL-FH32U61	32U (W600 x D1000)mm Perforated front door + Metallic rear door
PL-FH37U61	37U (W600 x D1000)mm Perforated front door + Metallic rear door
PL-FH42U61	42U (W600 x D1000)mm Perforated front door + Metallic rear door
PL-FH47U61	47U (W600 x D1000)mm Perforated front door + Metallic rear door
<b>Glass front door + Perforated rear door</b>	
PL-FK22U61	22U (W600 x D1000)mm Glass front door + Perforated rear door
PL-FK27U61	27U (W600 x D1000)mm Glass front door + Perforated rear door
PL-FK32U61	32U (W600 x D1000)mm Glass front door + Perforated rear door
PL-FK37U61	37U (W600 x D1000)mm Glass front door + Perforated rear door
PL-FK42U61	42U (W600 x D1000)mm Glass front door + Perforated rear door
PL-FK47U61	47U (W600 x D1000)mm Glass front door + Perforated rear door
<b>Dual perforated door / front &amp; back</b>	
PL-FP22U61	22U (W600 x D1000)mm Dual perforated door / front & back
PL-FP27U61	27U (W600 x D1000)mm Dual perforated door / front & back
PL-FP32U61	32U (W600 x D1000)mm Dual perforated door / front & back
PL-FP37U61	37U (W600 x D1000)mm Dual perforated door / front & back
PL-FP42U61	42U (W600 x D1000)mm Dual perforated door / front & back
PL-FP47U61	47U (W600 x D1000)mm Dual perforated door / front & back
<b>Perforated front door + Dual perforated rear door</b>	
PL-FS22U61	22U (W600 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS27U61	27U (W600 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS32U61	32U (W600 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS37U61	37U (W600 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS42U61	42U (W600 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS47U61	47U (W600 x D1000)mm Perforated front door + Dual perforated rear door

**Size 800×1000 :**

Part Number	Description
<b>Glass Front Door , Metallic rear door</b>	
PL-FG22U81	22U (W800 x D1000)mm Glass Front Door , Metallic rear door
PL-FG27U81	27U (W800 x D1000)mm Glass Front Door , Metallic rear door
PL-FG32U81	32U (W800 x D1000)mm Glass Front Door , Metallic rear door
PL-FG37U81	37U (W800 x D1000)mm Glass Front Door , Metallic rear door
PL-FG42U81	42U (W800 x D1000)mm Glass Front Door , Metallic rear door
PL-FG47U81	47U (W800 x D1000)mm Glass Front Door , Metallic rear door
<b>Perforated front door + Metallic rear door</b>	
PL-FH22U81	22U (W800 x D1000)mm Perforated front door + Metallic rear door
PL-FH27U81	27U (W800 x D1000)mm Perforated front door + Metallic rear door
PL-FH32U81	32U (W800 x D1000)mm Perforated front door + Metallic rear door
PL-FH37U81	37U (W800 x D1000)mm Perforated front door + Metallic rear door
PL-FH42U81	42U (W800 x D1000)mm Perforated front door + Metallic rear door
PL-FH47U81	47U (W800 x D1000)mm Perforated front door + Metallic rear door
<b>Glass front door + Perforated rear door</b>	
PL-FK22U81	22U (W800 x D1000)mm Glass front door + Perforated rear door
PL-FK27U81	27U (W800 x D1000)mm Glass front door + Perforated rear door
PL-FK32U81	32U (W800 x D1000)mm Glass front door + Perforated rear door
PL-FK37U81	37U (W800 x D1000)mm Glass front door + Perforated rear door
PL-FK42U81	42U (W800 x D1000)mm Glass front door + Perforated rear door
PL-FK47U81	47U (W800 x D1000)mm Glass front door + Perforated rear door
<b>Dual perforated door / front &amp; back</b>	
PL-FP22U81	22U (W800 x D1000)mm Dual perforated door / front & back
PL-FP27U81	27U (W800 x D1000)mm Dual perforated door / front & back
PL-FP32U81	32U (W800 x D1000)mm Dual perforated door / front & back
PL-FP37U81	37U (W800 x D1000)mm Dual perforated door / front & back
PL-FP42U81	42U (W800 x D1000)mm Dual perforated door / front & back
PL-FP47U81	47U (W800 x D1000)mm Dual perforated door / front & back
<b>Perforated front door + Dual perforated rear door</b>	
PL-FS22U81	22U (W800 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS27U81	27U (W800 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS32U81	32U (W800 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS37U81	37U (W800 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS42U81	42U (W800 x D1000)mm Perforated front door + Dual perforated rear door
PL-FS47U81	47U (W800 x D1000)mm Perforated front door + Dual perforated rear door

**Wall Mount Cabinet Sigel Section:**

**600\*450mm:**

Part Number	Description
PL-WM4U6045	Wall Mount Cabinet 4U (W600 x D450)mm
PL-WM6U6045	Wall Mount Cabinet 6U (W600 x D450)mm
PL-WM9U6045	Wall Mount Cabinet 9U (W600 x D450)mm
PL-WM12U6045	Wall Mount Cabinet 12U (W600 x D450)mm
PL-WM15U6045	Wall Mount Cabinet 15U (W600 x D450)mm
PL-WM18U6045	Wall Mount Cabinet 18U (W600 x D450)mm

**600\*600mm:**

Part Number	Description
PL-WM4U6060	Wall Mount Cabinet 4U (W600 x D600)mm
PL-WM6U6060	Wall Mount Cabinet 6U (W600 x D600)mm
PL-WM9U6060	Wall Mount Cabinet 9U (W600 x D600)mm
PL-WM12U6060	Wall Mount Cabinet 12U (W600 x D600)mm
PL-WM15U6060	Wall Mount Cabinet 15U (W600 x D600)mm
PL-WM18U6060	Wall Mount Cabinet 18U (W600 x D600)mm

**Wall Mount Cabinet Double Section:**

**600\*550mm:**

Part Number	Description
PL-WD4U6055	Wall Mount Cabinet 4U (W600 x D450+100)mm
PL-WD6U6055	Wall Mount Cabinet 6U (W600 x D450+100)mm
PL-WD9U6055	Wall Mount Cabinet 9U (W600 x D450+100)mm
PL-WD12U6055	Wall Mount Cabinet 12U (W600 x D450+100)mm
PL-WD15U6055	Wall Mount Cabinet 15U (W600 x D450+100)mm
PL-WD18U6055	Wall Mount Cabinet 18U (W600 x D450+100)mm

**600\*600mm:**

Part Number	Description
PL-WD4U6060	Wall Mount Cabinet 4U (W600 x D500+100)mm
PL-WD6U6060	Wall Mount Cabinet 6U (W600 x D500+100)mm
PL-WD9U6060	Wall Mount Cabinet 9U (W600 x D500+100)mm
PL-WD12U6060	Wall Mount Cabinet 12U (W600 x D500+100)mm
PL-WD15U6060	Wall Mount Cabinet 15U (W600 x D500+100)mm
PL-WD18U6060	Wall Mount Cabinet 18U (W600 x D500+100)mm



 **Europe & North America**

 **Middle East & Africa**

 **Montreal, CANADA**

 **Dubai, UAE**

 **info@planet-ca.com**

 **newtech@planet-ca.com**

 **+1 (514)400-1470**

 **+971 4 320 7796**



[www.planet-ca.com](http://www.planet-ca.com)